




D-Neo Built-in basin # 0358600079

| < 600 mm > |



Built-in basin	Dimension	Weight	Order number
Washbasin version: Installation, 600x440 mm, Tap hole platform: No, Overflow: No, Type of mounting: counter top			
Colors			
00 White Alpin			
Variant			
☒ White High Gloss, grounded	600x170 mm	9.300 kg	0358600079
Accessory			
Slotted waste washbasin without overflow, Material drain covers: Brass, Diameter: 72 mm	Ø 72 mm	0.315 kg	005024
Suitable products			
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 800 x 550 mm	800 x 550 mm		KT6794
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1000 x 550 mm	1000 x 550 mm		KT6795
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1200 x 550 mm	1200 x 550 mm		KT6796
Console vanity unit wall-mounted Number of pull-out compartments: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1400 x 550 mm	1400 x 550 mm		KT6797 B/L/R

D-Neo Built-in basin # 0358600079

|< 600 mm >|

Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 800 x 550 mm	800 x 550 mm	KT6754
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1000 x 550 mm	1000 x 550 mm	KT6755
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1200 x 550 mm	1200 x 550 mm	KT6756
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1400 x 550 mm	1400 x 550 mm	KT6757 B/L/R
Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS828C
Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS829C
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 478 mm	700 x 478 mm	DS5301
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 478 mm	800 x 478 mm	DS5302
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 478 mm	900 x 478 mm	DS5303
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 478 mm	1000 x 478 mm	DS5304
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm	700 x 548 mm	DS5311
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm	800 x 548 mm	DS5312
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm	900 x 548 mm	DS5313
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm	1000 x 548 mm	DS5314

D-Neo Built-in basin # 0358600079

| < 600 mm > |

Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 477 mm	720 x 477 mm	LC5801
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 477 mm	820 x 477 mm	LC5802
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 477 mm	920 x 477 mm	LC5803
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 477 mm	1020 x 477 mm	LC5804
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm	720 x 547 mm	LC5811
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm	820 x 547 mm	LC5812
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm	920 x 547 mm	LC5813
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm	1020 x 547 mm	LC5814
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 800 x 548 mm	800 x 548 mm	XS4910
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1000 x 548 mm	1000 x 548 mm	XS4911
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1200 x 548 mm	1200 x 548 mm	XS4912
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1400 x 548 mm	1400 x 548 mm	XS4913 L/R

D-Neo Built-in basin # 0358600079

| < 600 mm > |

Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm	1600 x 548 mm	XS4914 L/R
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1400 x 548 mm	1400 x 548 mm	XS4916 B
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm	1600 x 548 mm	XS4917 B
Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS102C
Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS103C
Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS106C
Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS107C
Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC102C
Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC103C
Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC106C
Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC107C
Console Compact, Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	DS100C
Console Compact, Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	DS101C
Console Compact, Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	DS104C
Console Compact, Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	DS105C
Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC100C
Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC101C

D-Neo Built-in basin # 0358600079

|< 600 mm >|

Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC104C
Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC105C
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 550 mm	800 x 550 mm	DE4947
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 550 mm	1000 x 550 mm	DE4948
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1200 x 550 mm	1200 x 550 mm	DE4949
Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 550 mm	800 x 550 mm	DE4967
Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 550 mm	1000 x 550 mm	DE4968
Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1200 x 550 mm	1200 x 550 mm	DE4969
Recommended faucets		
Single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, Unified Water Label (UWL) Class: 1, 173 x 174 mm	173 x 174 mm	C11070003
Single lever basin mixer L Ceramic cartridge, Height: 262 mm, Spout reach: 136 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 165 x 41 mm	165 x 41 mm	C11030002
Single lever basin mixer XL Ceramic cartridge, Height: 322 mm, Spout reach: 166 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 196 x 40 mm	196 x 40 mm	C11040002

D-Neo Built-in basin # 0358600079

|< 600 mm >|

Single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, Unified Water Label (UWL) Class: 1, 173 x 225 mm	173 x 225 mm	C11070004
Single lever basin mixer XL Chrome, Ceramic cartridge, Height: 295 mm, Spout reach: 180 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Handle version: lever handle, Unified Water Label (UWL) Class: 1, 222 x 43 mm	222 x 43 mm	A11040001
Single lever basin mixer XL Chrome, Ceramic cartridge, Height: 295 mm, Spout reach: 180 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Handle version: lever handle, Unified Water Label (UWL) Class: 1, 222 x 43 mm	222 x 43 mm	A11040002
2 Hole basin mixer electronic XL Height: 253 mm, Spout reach: 180 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 230 x 45 mm	230 x 45 mm	D11110008
2 Hole basin mixer electronic XL Height: 253 mm, Spout reach: 180 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 230 x 45 mm	230 x 45 mm	D11110007
2 Hole basin mixer XL Height: 253 mm, Spout reach: 180 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 230 x 45 mm	230 x 45 mm	D11130002
2 Hole basin mixer XL Height: 253 mm, Spout reach: 180 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 230 x 45 mm	230 x 45 mm	D11130009
Single lever basin mixer L Chrome, Ceramic cartridge, Height: 270 mm, Spout reach: 139 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, Flow rate (3 bar): 5 l/min, recommended operating pressure: 1 - 5 bar, Handle version: lever handle, 50 x 184 mm	50 x 184 mm	DE1030002

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding.

D-Neo Built-in basin # 0358600079

|< 600 mm >|

Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.