







Washbowl	Dimension	Weight	Order number
DuraCeram®, Rectangular, Number of washing areas: 1 Middle, Tap hole platform: No, Overflow: No, grounded, Incl. ceramic drain cover, Incl. slotted waste, 550 mm			
Colors			
00 White Alpin 13 Anthracite Matt 32 White Satin Matt 67 Grey Satin Matt			
Variant			
⊗ White High Gloss	550x135 mm	11.200 kg	23735579
⊗ Anthracite Matt	550x135 mm	11.200 kg	23735579
⊗ White Satin Matt	550x135 mm	11.200 kg	23735579
⊠ Grey Satin Matt	550x135 mm	11.200 kg	23735579
time to come. When ordering WonderGliss please add a "1" as eleventh digit to Suitable products	the model number.		
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 800 x 550 mm	800 x 550 mm		КТ6694
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1000 x 550 mm	1000 x 550 mm		KT6695
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1200 x 550 mm	1200 x 550 mm		КТ6696
Console vanity unit wall-mounted Number of pull-out compartments: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1400 x 550 mm	1400 x 550 mm		KT6697 B/L/R



Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 800 x 550 mm Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1000 x 550 mm Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1200 x 550 mm Console vanity unit wall-mounted Number of drawers: 4, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1400 x 550 mm Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 800 x 550 mm DS828C
console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1000 x 550 mm Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1200 x 550 mm Console vanity unit wall-mounted Number of drawers: 4, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1400 x 550 mm KT6656 KT6657 B/L/R KT6657 B/L/R Console Number of cut-outs: 1, Number of washing areas: 1,
console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1200 x 550 mm Console vanity unit wall-mounted Number of drawers: 4, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1400 x 550 mm Console Number of cut-outs: 1, Number of washing areas: 1,
console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1400 x 550 mm KT6657 B/L/R Console Number of cut-outs: 1, Number of washing areas: 1,
550 mm
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 478 mm DS5300
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 478 mm DS5301
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 478 mm DS5302
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 478 mm DS5303
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 478 mm DS5304
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 478 mm DS5305
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 478 mm DS5306
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 478 mm DS5307
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 478 mm DS5308



Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 478 mm		DS5309
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 548 mm	600 x 548 mm	DS5310
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm	700 x 548 mm	DS5311
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm	800 x 548 mm	DS5312
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm	900 x 548 mm	DS5313
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm	1000 x 548 mm	DS5314
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 548 mm	600 x 548 mm	DS5315
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm	700 x 548 mm	DS5316
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm	800 x 548 mm	DS5317
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm	900 x 548 mm	DS5318
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm	1000 x 548 mm	DS5319
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 477 mm	620 x 477 mm	LC5800
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 477 mm	720 x 477 mm	LC5801



Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 477 mm	820 x 477 mm	LC5802
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 477 mm	920 x 477 mm	LC5803
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 477 mm	1020 x 477 mm	LC5804
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 477 mm	620 x 477 mm	LC5805
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 477 mm	720 x 477 mm	LC5806
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 477 mm		LC5807
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 477 mm	920 x 477 mm	LC5808
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 477 mm		LC5809
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 547 mm	620 x 547 mm	LC5810
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm	720 x 547 mm	LC5811
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm	820 x 547 mm	LC5812
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm	920 x 547 mm	LC5813
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm	1020 x 547 mm	LC5814



Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 547 mm	620 x 547 mm	LC5815
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm	720 x 547 mm	LC5816
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm	820 x 547 mm	LC5817
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm	920 x 547 mm	LC5818
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm	1020 x 547 mm	LC5819
Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 800 x 548 mm	800 x 548 mm	XS4920
Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1000 x 548 mm	1000 x 548 mm	XS4921
Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1200 x 548 mm	1200 x 548 mm	XS4922
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1400 x 548 mm	1400 x 548 mm	XS4923 L/R
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1600 x 548 mm	1600 x 548 mm	XS4924 L/R
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1400 x 548 mm	1400 x 548 mm	XS4926 B
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1600 x 548 mm	1600 x 548 mm	XS4927 B



Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC102C
Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC103C
Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC106C
Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC107C
Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC100C
Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC101C
Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC104C
Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC105C
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 550 mm	800 x 550 mm	DE4947
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1200 x 550 mm	1200 x 550 mm	DE4949
Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 550 mm	800 x 550 mm	DE4967
Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 550 mm	1000 x 550 mm	DE4968
Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1200 x 550 mm	1200 x 550 mm	DE4969
Console vanity unit wall-mounted Compact, Number of open compartments: 1, Incl. console: Yes, Tap hole drillings possible, Without handle, 1000 x 480 mm	1000 x 480 mm	DE4919



Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of open compartments: 1, Incl. console: Yes, Tap hole drillings possible, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1300 x 550 mm	1300 x 550 mm	ZE4818
Recommended faucets		
Single lever basin mixer XL Ceramic cartridge, Height: 322 mm, Spout reach: 166 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 197 x 41 mm		C11040001
Single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, Unified Water Label (UWL) Class: 1, 173 x 174 mm	173 x 174 mm	C11070003
Single lever basin mixer XL Ceramic cartridge, Height: 322 mm, Spout reach: 166 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, 196 x 40 mm	196 x 40 mm	C11040002
Single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Handle version: lever handle, Unified Water Label (UWL) Class: 1, 173 x 225 mm	173 x 225 mm	C11070004
Single lever basin mixer XL Chrome, Ceramic cartridge, Height: 317 mm, Spout reach: 160 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Handle version: lever handle, 48 x 195 mm	48 x 195 mm	WT1040002
Single lever basin mixer L Chrome, Ceramic cartridge, Height: 280 mm, Spout reach: 140 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Handle version: lever handle, 48 x 175 mm	48 x 175 mm	WT1030002
Single lever basin mixer XL Ceramic cartridge, Height: 265 mm, Spout reach: 155 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Handle version: lever handle, Unified Water Label (UWL) Class: 1, 50 x 200 mm	50 x 200 mm	TU1040002
Single lever basin mixer Ceramic cartridge, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator, Including trim parts, recommended operating pressure: 1 - 5 bar, Handle version: lever handle, Unified Water Label (UWL) Class: 1, 173 x 191 mm	173 x 191 mm	TU1070004



|< 550 mm >|

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.